

7-230
Celeste

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>MVNU Hunter Hall Baker Bros. Coffee</i>		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <i>373</i>	Date <i>1/20/2015</i>
Address <i>221 South Main St, Mt Vernon</i>		Category/Descriptive <i>C25</i>		
License holder <i>Pioneer College Caterers</i>	Inspection time (min) <i>15</i>	Travel time (min) <i>10</i>	Other <i>281</i>	
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) <i>pending</i>	Sample date/result (if required) <i>-</i>	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

3.4 - True Unit not holding time/temperature controlled for safety foods at 41°F or below. Milk - 43°F, Grapes/Pears - 42°F - All TCS foods must be kept at 41°F or below. Repair Unit and contact health Dept when unit is holding food properly for a re-inspection.

* Ensure a refrigeration thermometer is provided for True Unit.

Inspected by <i>Loren Hillier, AS</i>	R.S./SIT # <i>2084</i>	Licenser <i>Knox County HD</i>
Received by <i>Megan Vernon</i>	Title	Phone