

State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Troyers Home Bakery LLC</i>		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <i>3666</i>	Date <i>4/24/2014</i>
Address <i>28991 Mickley Rd, Danville</i>		Category/Descriptive <i>C35</i>		
License holder <i>Levi Troyer</i>		Inspection time (min) <i>75</i>	Travel time (min) <i>30</i>	Other <i>210</i>
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Complaint		<input type="checkbox"/> Follow up <input type="checkbox"/> Prelicensing	<input type="checkbox"/> Foodborne <input type="checkbox"/> Consultation	<input type="checkbox"/> 30 day <input type="checkbox"/> Other specify
Follow-up date (if required)			Sample date/result (if required) <i>4/24/14/</i>	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
<input checked="" type="checkbox"/> 5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701:21 OAC

Violation(s)/Comment(s)

*New Addition has been completed - Plan # 2013-021351
Electrical - Structural - Fire Approvals have been
obtained - Copy on file.*

*KoolAid and True Refrigeration units maintaining
time/temperature controlled for safety foods at 40°F.
metal stem probe thermometer present - 0-220°F.
Approved Chlorine sanitizer in use - Chlorine test strips
present.*

Water sample collected during inspection.

Inspected by <i>Tom Heller, AS</i>	R.S./SIT # <i>2084</i>	Licenser <i>Frank County HO</i>
Received by <i>Orpha Troener</i>	Title	Phone

4/24/2014



State of Ohio Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Facility name <i>Troyer's Home Bakery LLC</i>	Type of inspection <i>Standard</i>
--	---------------------------------------

Violation(s)/Comment(s) *water*

*5.17 low pressure present at handsink.
Ensure water pressure is maintained to allow
proper handwashing at sink.*

** Ensure mop sink installation is completed
for operation.*

** Additional menu items / equipment list
has been provided.*

** Person-In-Charge indicates an additional
Blodgett Deck Oven to be placed next to
Blodgett oven that has been installed.*

*New facility for Bakery looks great!
New addition and equipment meets approval.*

** Correct pressure issue at handsink immediately.
Contact health dept for follow-up inspection
when mop sink is installed.*

Inspected by <i>Lennie Huber, BS</i>	R.S./SIT # <i>2084</i>	Licenser <i>Knox County HD</i>
Received by <i>Orpha Brown</i>	Title	Phone