State of Ohio

Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

Authority. Chapters 3717 and 3715 Onio Nevised Code											
Name of facility					Check or			License n	mber	Date	
HAVITAANTICUCS and 6.				fts lent = FSC			RFE	4	1/5	10/19/2017	
Ad	ress		00	Ment GOCCIES				Category/Descriptive			
	11	491 Wooster Rock	7 k		AT GIVE				01		
License holder Inspection time (min) Travel time (min) Other											
Lic	31150	10MR Wood		Hispection time				Traver time trains		Other	
		, ,,,, -					0 70		U		
(Y	e of	visit (check)* ndard	CT 20 days			Follow-up date (if required) Sample date/result (if requ		Sample date/result (if required)			
	V.	ndard				30	Thus	11/19/2017			
3717-1 OAC Violation Checked											
Mai		ment and Personnel						Pois	Poisonous or Toxic Materials		
\vdash	2.1 Employee health			4.4 Maintenance and operation				-	7.0 Labeling and identification		
\vdash		Personal cleanliness	-	4.5 Cleaning of equipment and utensils			4	7.1 Operational supplies and applications			
_	2.3 Hygienic practices			4.6 Sanitizing of equipment and utensits				╛┖	7.2 Storage and d splay separation		
2.4 Supervision				4.7 Laundering				Spec	Special Requirements		
Food				4.8 Protection of clean items					8.0 Fresh juice production		
3.0 Safe, unadulterated and honestly presented			Wa	Water, Plumbing, and Waste					B.1 Heat treatment dispensing freezers		
	3.1	Sources, specifications and original containers	5.0 Water					┑┝	8.2 Custom process		
	3.2	Protection from contamination after receiving	5.1 Plumbing system			$\neg \vdash$	8.3 Bulk water mac				
	_	Destruction of organisms		$\overline{}$	5.2 Mobile water tanks			8.4 Acidified white	rice preparation criteria		
X	3.4	Limitation of growth of organisms		5.3 Sewage, other liquid waste and rainwater				and equipment specifications			
У	3.5 Identity, presentation, on premises labeling			5.4	5.4 Refuse, recyclables, and returnables		\neg	20 Existing facilities	es and equipment		
1	_	Discarding or reconditioning unsafe, adulterated	District Fortists								
3.7 Special requirements for highly susceptible populations				Physical Facilities				Adm	Administrative		
Equipment, Utensils, and Linens				6.0 Materials for construction and repair			-	901;3-4 OAC 3701-21 OAC			
	4.0 Materials for construction and repair			6.1 Design, construction, and installation 6.2 Numbers and capacities			$\dashv \sqcup$	3/01-21 UAC			
		Design and construction	\vdash	-	Location and placement			\dashv			
	-	Numbers and capacities	\vdash	_	Maintenance and opera			\dashv			
4.3 Location and installation					0.4 Maintained and operation						
Ω_{1} T Ω_{1} Ω_{2} Γ											
Violation(s)/Comment(s) - COSO1 - Ln - Marc PRICAT											
Off Humbal on KIL Kor Kow Shelled eggs - dated 5/2/11											
0.4- Outdated Lynch med Sondwiches located in Retait Sett											
Secret Was Core () 1 4 d-40 10 1.21 7 00 2 1 11 11											
水上	X	100 FCDS1 932. H	10	14	(1) (1a/2	4 10	1//3//	//-	(1)1319	rel Myreldiato	
	7. :	5 - No scadable 1	zbi	באקיי	locate	01	XGU	1 5	helled	Cues - 4	
7	11	able to weeks ill	0		50 1010	15 0	1000	sell.	// ^	HIV and to told	
4 5	1071	acity in will in	7	18	004/12	/3 0	paro	ea .	631770	1 JIANIAICUCE	
'\c	5-6	o - Schedy genter	PUL	1	945 WY	Scutt	01	Shal	Jas. +	MOUL all	
	1/1	stel could that are		مرح	1-D1-d-	tel	Uh	(. C	14-11	6/2	
GENTAL CAISO FACT CIE SEVERY UCITAL KAM GETAN VEIC.											
	Correct in mediately. I repeat violation.										
-											
-	TE INSPECTION WITH OF COTALCIAN IN OCHYS TO ICHINA										
That are critical violations are convected -											
								`			
Inspected by Licensor Licensor											
Jemix Hiller R- 284 Knix Gun TA HV											
Fleceived by Title Phone											
	OX	Midho Didonores									
HEA	530	2 2/12 Ohio Department of Health	Dis	tribu	tion: Top copy—Ope	rator, Botto	m copyLo	cal health c	lepartment		
AGR 1268 2/12 Ohio Department of Agriculture pgof											