

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility ResCare OH Centerburg		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 133	Date 01/09/16
Address 80 Miller St., Centerburg		Category/Descriptive C45		
License holder Shannon Fletcher		Inspection time (min) 30	Travel time (min) 30	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701:21 OAC

Violation(s)/Comment(s) Person-in-Charge (PIC) present

- Refrigerator in kitchen is maintaining time/temperature controlled for safety (TCS) foods at 41°F or below: milk 38°F

- Quat Ammonia sanitizer present for buckets to store wiping cloths

- Dishmachine providing 50 ppm chlorine residual at time of inspection

- Test kits present for both sanitizers

- Dishmachine leak has been repaired since last inspection.

Note: PIC states facility is scheduled to close the summer of 2016. Residents will be moving to group homes. Residential group homes that house not more than 16 individuals are exempt from our licensing

Inspected by <i>[Signature]</i>	R.S./SIT # 3458	Licenser Knox Co. Health Dept
Received by <i>[Signature]</i>	Title	Phone

State of Ohio
Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of Facility <i>ResCare OH Centerburg</i>	Type of visit <i>Standard</i>	Date <i>01/08/16</i>
--	----------------------------------	-------------------------

Violation(s)/Comment(s)

Please contact the Health Dept. if your residential group homes will serve more than 16 individuals.

Plc indicates this facility is to be torn down once the residents have been moved.

Heater/Proofer now present to transport food from kitchen to dining area.

Inspected by <i>[Signature]</i>	R.S./SIT # <i>3458</i>	Licenser <i>Knox Co. Health Dept.</i>
Received by <i>Mary a Justice</i>	Title	Phone