

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Nominal Park Concession Stand</i>	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <i>51</i>	Date <i>5/10/17</i>
Address <i>Memorial Park Mt. Vernon</i>		Category/Descriptive <i>NC35</i>	
License holder <i>Know County Babe Ruth</i>	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

### 3717-1 OAC Violation Checked

#### Management and Personnel

<input type="checkbox"/> 2.1 Employee health
<input type="checkbox"/> 2.2 Personal cleanliness
<input type="checkbox"/> 2.3 Hygienic practices
<input type="checkbox"/> 2.4 Supervision

<input type="checkbox"/> 4.4 Maintenance and operation
<input type="checkbox"/> 4.5 Cleaning of equipment and utensils
<input type="checkbox"/> 4.6 Sanitizing of equipment and utensils
<input type="checkbox"/> 4.7 Laundering
<input type="checkbox"/> 4.8 Protection of clean items

#### Poisonous or Toxic Materials

<input type="checkbox"/> 7.0 Labeling and identification
<input type="checkbox"/> 7.1 Operational supplies and applications
<input type="checkbox"/> 7.2 Storage and display separation

#### Food

<input type="checkbox"/> 3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/> 3.1 Sources, specifications and original containers
<input type="checkbox"/> 3.2 Protection from contamination after receiving
<input type="checkbox"/> 3.3 Destruction of organisms
<input type="checkbox"/> 3.4 Limitation of growth of organisms
<input type="checkbox"/> 3.5 Identity, presentation, on premises labeling
<input type="checkbox"/> 3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/> 3.7 Special requirements for highly susceptible populations

#### Water, Plumbing, and Waste

<input type="checkbox"/> 5.0 Water
<input type="checkbox"/> 5.1 Plumbing system
<input type="checkbox"/> 5.2 Mobile water tanks
<input type="checkbox"/> 5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/> 5.4 Refuse, recyclables, and returnables

#### Special Requirements

<input type="checkbox"/> 8.0 Fresh juice production
<input type="checkbox"/> 8.1 Heat treatment dispensing freezers
<input type="checkbox"/> 8.2 Custom processing
<input type="checkbox"/> 8.3 Bulk water machine criteria
<input type="checkbox"/> 8.4 Acidified white rice preparation criteria
<input type="checkbox"/> 9.0 Facility layout and equipment specifications
<input type="checkbox"/> 20 Existing facilities and equipment

#### Equipment, Utensils, and Linens

<input type="checkbox"/> 4.0 Materials for construction and repair
<input type="checkbox"/> 4.1 Design and construction
<input type="checkbox"/> 4.2 Numbers and capacities
<input type="checkbox"/> 4.3 Location and installation

#### Physical Facilities

<input type="checkbox"/> 6.0 Materials for construction and repair
<input type="checkbox"/> 6.1 Design, construction, and installation
<input checked="" type="checkbox"/> 6.2 Numbers and capacities
<input type="checkbox"/> 6.3 Location and placement
<input checked="" type="checkbox"/> 6.4 Maintenance and operation

#### Administrative

<input type="checkbox"/> 901:3-4 OAC
<input type="checkbox"/> 3701-21 OAC

#### Violation(s)/Comment(s)

*pre-cooled*

hot menu: nachos, hot dogs, brats - Hot dog roller present  
 6.4 - Observed rodent droppings under counter - Clean and sanitize area - also equipment - Correct immediately  
 6.2 - Provide soap at handsink prior to starting next Monday  
 Discussed calibrating thermometer  
 Discussed date marking  
 Discussed re-caulking behind the 3 compartment sink  
 Facility scheduled to open Monday 5/15/17  
 Reinspection will be conducted next Wed, 5/17/17

Inspected by <i>[Signature]</i>	R.S./SIT # <i>3204</i>	Licensor <i>Know</i>
Received by <i>[Signature]</i>	Title	Phone