

# Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Age of Living Ministries, Inc.</i>	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <i>231</i>	Date <i>10/14/2018</i>
Address <i>18860 Dodd Rd, Brinkhaley</i>		Category/Descriptive <i>NC35</i>	
License holder <i>Age of Living Ministries, Inc.</i>	Inspection time (min) <i>45</i>	Travel time (min) <i>60</i>	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)	Sample date/result (if required) <i>Acceptable</i>

**3717-1 OAC Violation Checked**

**Management and Personnel**

2.1 Employee health
2.2 Personal cleanliness
2.3 Hygienic practices
2.4 Supervision

<input checked="" type="checkbox"/> 4.4 Maintenance and operation
4.5 Cleaning of equipment and utensils
4.6 Sanitizing of equipment and utensils
4.7 Laundering
4.8 Protection of clean items

**Poisonous or Toxic Materials**

7.0 Labeling and identification
7.1 Operational supplies and applications
7.2 Storage and display separation

**Food**

3.0 Safe, unadulterated and honestly presented
3.1 Sources, specifications and original containers
3.2 Protection from contamination after receiving
3.3 Destruction of organisms
3.4 Limitation of growth of organisms
3.5 Identity, presentation, on premises labeling
3.6 Discarding or reconditioning unsafe, adulterated
3.7 Special requirements for highly susceptible populations

**Water, Plumbing, and Waste**

5.0 Water
5.1 Plumbing system
5.2 Mobile water tanks
5.3 Sewage, other liquid waste and rainwater
5.4 Refuse, recyclables, and returnables

**Special Requirements**

8.0 Fresh juice production
8.1 Heat treatment dispensing freezers
8.2 Custom processing
8.3 Bulk water machine criteria
8.4 Acidified white rice preparation criteria
9.0 Facility layout and equipment specifications
20 Existing facilities and equipment

**Equipment, Utensils, and Linens**

4.0 Materials for construction and repair
4.1 Design and construction
4.2 Numbers and capacities
4.3 Location and installation

**Physical Facilities**

6.0 Materials for construction and repair
6.1 Design, construction, and installation
6.2 Numbers and capacities
6.3 Location and placement
6.4 Maintenance and operation

**Administrative**

901-3-4 OAC
3701-21 OAC

**Violation(s)/Comment(s)** *Level II Certified Supervisor present*  
*Hand washing functional, fully stocked and accessible.*  
*Metal stick probe thermometer present.*  
*Disposable gloves present.*

*Acceptable Temperatures - Artic Air milk - ~~37~~ 39°F*  
*walk-in - 40°F*

*4.4 - provide smooth, easily cleanable cutting boards.*  
*Current ones are deeply scored.*  
*\*Reviewed employee health policy and Clean-up kit with PIC.*

Inspected by <i>Karen Helber, RS</i>	R.S./SIT # <i>2084</i>	Licenser <i>Knox County HD</i>
Received by <i>[Signature]</i>	Title <i>EXOR, DIR. (PIC)</i>	Phone <i>740/599-7707</i>