

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Mt. Vernon Express		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 1021	Date 2/20/18
Address 405 Coshocton Ave., Mt. Vernon		Category/Descriptive CIS		
License holder Muhammed Ezzaouali		Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Complaint		<input type="checkbox"/> Follow up <input type="checkbox"/> Prelicensing	<input type="checkbox"/> Foodborne <input type="checkbox"/> Consultation	<input type="checkbox"/> 30 day <input type="checkbox"/> Other specify
Follow-up date (if required)			Sample date/result (if required)	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701:21 OAC

Violation(s)/Comment(s)

3.4 - Coolers in drive thru were turned off upon inspectors arrival - Milk holding at 47°F - Milk was voluntarily discarded - Time/Temperature controlled for safety (TCS) foods must hold at 41°F or below - Coolers were turned on during inspection - cease practice immediately

3.2 - Store food product at least 6 in. off of floor - ^{Correct} immediately

6.4 - Clean and organize storage areas - Make floor smooth easily cleanable where needed

Inspected by 	R.S./SIT # 3204	Licenser Rnox
Received by 	Title	Phone