

# Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Ridge Road Dent Dent Excav</i>		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <i>423</i>	Date <i>8/24/2018</i>
Address <i>6100 Ridge Rd, Fredericktown</i>		Category/Descriptive <i>C15</i>		
License holder <i>David A. Wengerd</i>		Inspection time (min) <i>45</i>	Travel time (min) <i>20</i>	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)		Sample date/result (if required)

### 3717-1 OAC Violation Checked

#### Management and Personnel

<input type="checkbox"/>	2.1 Employee health
<input type="checkbox"/>	2.2 Personal cleanliness
<input type="checkbox"/>	2.3 Hygienic practices
<input type="checkbox"/>	2.4 Supervision

<input type="checkbox"/>	4.4 Maintenance and operation
<input type="checkbox"/>	4.5 Cleaning of equipment and utensils
<input type="checkbox"/>	4.6 Sanitizing of equipment and utensils
<input type="checkbox"/>	4.7 Laundering
<input type="checkbox"/>	4.8 Protection of clean items

#### Poisonous or Toxic Materials

<input type="checkbox"/>	7.0 Labeling and identification
<input type="checkbox"/>	7.1 Operational supplies and applications
<input type="checkbox"/>	7.2 Storage and display separation

#### Food

<input type="checkbox"/>	3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/>	3.1 Sources, specifications and original containers
<input type="checkbox"/>	3.2 Protection from contamination after receiving
<input type="checkbox"/>	3.3 Destruction of organisms
<input type="checkbox"/>	3.4 Limitation of growth of organisms
<input type="checkbox"/>	3.5 Identity, presentation, on premises labeling
<input type="checkbox"/>	3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/>	3.7 Special requirements for highly susceptible populations

#### Water, Plumbing, and Waste

<input type="checkbox"/>	5.0 Water
<input type="checkbox"/>	5.1 Plumbing system
<input type="checkbox"/>	5.2 Mobile water tanks
<input type="checkbox"/>	5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/>	5.4 Refuse, recyclables, and returnables

#### Special Requirements

<input type="checkbox"/>	8.0 Fresh juice production
<input type="checkbox"/>	8.1 Heat treatment dispensing freezers
<input type="checkbox"/>	8.2 Custom processing
<input type="checkbox"/>	8.3 Bulk water machine criteria
<input type="checkbox"/>	8.4 Acidified white rice preparation criteria
<input type="checkbox"/>	9.0 Facility layout and equipment specifications
<input type="checkbox"/>	20 Existing facilities and equipment

#### Equipment, Utensils, and Linens

<input type="checkbox"/>	4.0 Materials for construction and repair
<input type="checkbox"/>	4.1 Design and construction
<input type="checkbox"/>	4.2 Numbers and capacities
<input type="checkbox"/>	4.3 Location and installation

#### Physical Facilities

<input type="checkbox"/>	6.0 Materials for construction and repair
<input type="checkbox"/>	6.1 Design, construction, and installation
<input type="checkbox"/>	6.2 Numbers and capacities
<input type="checkbox"/>	6.3 Location and placement
<input type="checkbox"/>	6.4 Maintenance and operation

#### Administrative

<input type="checkbox"/>	901.3-4 OAC
<input type="checkbox"/>	3701-21 OAC

### Violation(s)/Comment(s)

*The follow-up inspection finds the following*

- Time/temperature controlled for safety foods being maintained at 41°F or below - Raw Shelled Eggs - 39°F. Block ice and crushed ice are in use.*
- Pallets in use in back storage area to keep food product off floor.*
- Raw Bacon and raw shelled eggs are properly stored in refrigeration unit.*
- No outdated baby food noted.*

Inspected by <i>Tom Heller, RS</i>	R.S./SIT # <i>2084</i>	Licenser <i>Knox County HX</i>
Received by <i>SALOMA D. WENGERD</i>	Title	Phone

*Critical violations / violations corrected.*