State of Ohio Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

			isea code	
Name of facility		Check one	License number	Date
Anvets #95 - Pormat	76M	▶ FSO □ RFE	50	7/30/18
Address			Category/Descriptive	
1286 Libra Maio Ano	Mt Vernor		026	
License holder	/	Inspection time (min)	Travel time (min)	Other
Commander				
Type of visit (check)			Follow-up date (if required)	Sample date/result (if required
☐ Standard ☐ Follow up ☐ Foodborne ☐ 30 day		to anoth the date (it todailed)	outspie outograsoit jii requied	
☐ Complaint ☐ Prelicensing ☐ Cons	ultation			<u></u>
3717-1 OAC Violation Checked				
Management and Personnel			Poisonous or Toxic Materials	
2.1 Employee health	4.4 Maintenance and operation		7.0 Labeling and identification	
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils			pplies and applications
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils		7.2 Storage and di	splay separation
2.4 Supervision	4.7 Laundering		Special Requirements	
Food	4.8 Protection of clean items		8.0 Fresh juice pro	
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste			t dispensing freezers
3.1 Sources, specifications and original containers	5.0 Water		8.2 Custom proces	
3.2 Protection from contamination after receiving	5.1 Plumbing system		8.3 Bulk water mad	
3.3 Destruction of organisms	5.2 Mobile water tanks		8.4 Acidified white	rice preparation criteria
3.4 Limitation of growth of organisms 3.5 Identity, presentation, on premises labeling	5.3 Sewage, other liquid waste and rainwater		9.0 Facility layout a	and equipment specifications
3.6 Discarding or reconditioning unsafe, adulterated	5.4 Refuse, recyclables, and	returnables	20 Existing facilities	as and equipment
3.7 Special requirements for highly susceptible populations	Physical Facilities		Administrative	
	6.0 Materials for construction	and repair	901:3-4 OAC	720
Equipment, Utensils, and Linens	6.1 Design, construction, and	installation	3701-21 OAC	
4.0 Materials for construction and repair	6.2 Numbers and capacities			
4.1 Design and construction	6.3 Location and placement			
4.2 Numbers and capacities 4.3 Location and installation	6.4 Maintenance and operation			
4.3 Location and installation				
				(*)
Violation(s)/Comment(s)				
Violationis//Comments				
1 da trong house boon	1 Corrected	tom ore	USUS IOSA	ction
		V		
20				<u> </u>
Retrigeration at accord	tado trumes	otreno at	- time of in	saction
,	V		25	
Romas Careman Grill				
	<u> </u>			
ıţ.	,			
Inspected by	R.S./SIT#	Licensor	- 7	
3	320	Knin	/	13
Received by	Title	17(10)	Phon	8
4 9 MINT HOST				
HEA 5302 2/12 Ohio Department of Health	Distribution: Top copy-Opera	tor, Bottom copy—Loca	al health department	
AGR 1268 2/12 Ohio Department of Agriculture	738 - F			ng of